

ZipSeal Series

ZipSeal Conduit Sealant

Duct sealing system to protect sensors from water intrusion and conduit reverse venting

Recommended for all conduit systems subject to condensation



DESCRIPTION

Prevents water intrusion in CO/NO2 sensors that may occur from warm moisture condensing in conduit and draining into top of sensor body, potentially damaging the sensor. Also prevent airflow intrusion from conduit which can cause faulty readings. Recommended for sealing both top and bottom conduit entries. The unique two-part foam installs quickly and effectively. The innovative design of the Zip-Disc™ insert allows for horizontal and vertical installation with minimal drip. Cured foam blocks can be removed and re-entered relatively quickly if necessary. ZipSeal™ Duct Sealant holds up to 10 feet (3.0 m) water-head pressure. ZipSeal™ Duct Sealant holds up to 10 feet (3.0 m) water-head pressure to keep gases and rodents out of conduits.

APPLICATIONS

- Protects CO/NO2 sensors from condensation and water damage
- Prevents back venting into sensor which can impair readings



Prevents sensor damage from conduit condensation

FEATURES

- Meets NEC Code Requirements – 2011 NEC Articles 225.27, 230.8, 300.5 (G), 300.7 (A), on Raceway Seals, 501.15 (B)(2).
- Meets Industry Standards – Complies with TIA-758-B Standard 5.1.1.2.8, 5.4.2.3, and 7.4.2.8.1 Sealing Ducts.
- Installs in just 45 seconds--save on labor
- Re-enterable – easily removed.
- Multiple Seals – One kit seals up to five 2-inch/50 mm conduits.

ORDERING

TOOL-50-11

Dispensing tool

Includes 1 TOOL-50-11. The TOOL-50-11 is a dispensing tool for 50mL cartridges of BT, EPCT, & SDP Sealant.

MXR-20T-10

Mixing Nozzle Set

One set includes 10 mixing nozzles for the TOOL-50-11 dispensing tool.

ZIP-KIT1G

Kit Includes

Includes 1 cartridge (50 mL), 2 mixing nozzles, 2 pairs of gloves, 5 zip discs (2in/5cm), 1 instruction sheet, 1 dispensing tool TOOL-50-11.

ZIP-50KIT



Kit Options

1= Standard kit (without TOOL-50-11).

Includes 1 cartridge (50 mL), 2 mixing nozzles, 2 pairs of gloves, 5 zip discs (2in/5cm), 1 instruction sheet.

B6= Bulk kit of 6 (without TOOL-50-11).

Includes 6 cartridges (50 mL), 12 mixing nozzles, 12 pairs of gloves, 30 zip discs (2in/5cm), 6 instruction sheets.

DIMENSIONS

Dimensions

10 × 5 × 4 in



Warning: The datasheet is designed for reference only. Refer to installation instructions that accompany the product and heed all safety instructions. Product improvement is a continuing process at Senva. Changes may occur to products without prior notice.

SPECIFICATIONS

** Product improvement is a continual process at Senva and product features and specification may change without prior notice. Refer to instructions that accompany the product for installation and wiring.*